Click Here



```
1. Holding down the upper left button for approximately 3 seconds will switch to the "City Code Setting". 1. Pressing the lower left button to complete the configuration. 1. Pressing to the upper left button for approximately 3 seconds until "H.SET" is displayed on the digital
display. 2. If the speed hand stops at any point other than 12 o'clock, use the lower right button will switch to adjusting the hour and minute hands. 4. If the hour and minute hands stop at any point other than 12 o'clock, use the lower right button (forward) and the upper right button (back) to
align them with 12 o'clock. When advancing the hands, quickly pause them momentarily when they are near to 12 o'clock using small increments. 5.Press the upper left button to complete the configuration. 6.Pressing the lower right button will switch the digital display to display the time. When finished setting to
the home position, check if the time shown by the hands in Timekeeping Mode and the time on the digital display match. Set to the correct time (hours, minutes, seconds) and date (year, month, day). 1.Hold down the upper left button for approximately 3 seconds until the city code on the digital display begins to flash. 2.Pressing the lower left button
three times will switch to the "seconds" setting. 3. Press the lower right button will switch to the "hour" setting. 5. Press the lower left button will switch to the "minute" setting. 7. Press the
lower right button (forward) and the upper right button (back) to set the correct "year" setting. 9.Press the lower left button will switch to the "month" setting. 11.Press the lower right button (back) to set the correct "year" setting. 9.Press the lower left button will switch to the "month" setting. 11.Press the lower right button (back) to set the correct "year" setting. 9.Press the lower left button will switch to the "month" setting. 11.Press the lower right button (back) to set the correct "year" setting. 9.Press the lower left button will switch to the "month" setting. 11.Press the lower right button (back) to set the correct "year" setting. 9.Press the lower left button will switch to the "month" setting. 11.Press the lower right button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left button (back) to set the correct "year" setting. 9.Press the lower left b
button (forward) and the upper right button (back), and set the correct "month". 12. Pressing the lower left button (back) to set the correct "day" setting. 13. Press the upper left button to complete the configuration. 1. Hold down the lower right button (back) to set the correct "day" setting. 13. Press the upper left button to complete the configuration. 1. Hold down the lower right button (back) to set the correct "day" setting. 13. Press the upper left button to complete the configuration. 1. Hold down the lower right button (back) to set the correct "day" setting. 13. Press the upper left button to complete the configuration. 1. Hold down the lower right button (back) to set the correct "day" setting. 13. Press the upper left button to complete the configuration. 1. Hold down the lower right button (back) to set the correct "day" setting. 13. Press the upper left button (back) to set the correct "day" setting. 14. Press the upper left button (back) to set the correct "day" setting. 14. Press the upper left button (back) to set the correct "day" setting. 14. Press the upper left button (back) to set the correct "day" setting. 14. Press the upper left button (back) to set the correct "day" setting. 14. Press the upper left button (back) to set the upper left button 
approximately 3 seconds until "H.SET" is displayed on the digital display. 2.If the speed hand stops at any point other than 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button to align it with 12 o'clock. 3.Pressing the hour and minute hands stop at any point other than 12 o'clock, use the
lower right button (forward) and the upper right button (back) to align them with 12 o'clock. When advancing the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button will
switch the digital display to display to display the time. When finished setting to the home position, check if the time shown by the hands in Timekeeping Mode and the time on the digital display match. 2. Pressing the lower right button will switch the DST setting. 3. Press the upper left button to complete the configuration. 1. Hold down the lower right button
for approximately 3 seconds until "H.SET" is displayed on the digital display. 2. If the speed hand stops at any point other than 12 o'clock, use the lower right button will switch to adjusting the hour and minute hands. 4. If the hour and minute hands stop at any point other than 12 o'clock, use
the lower right button (forward) and the upper right button (back) to align them with 12 o'clock. When advancing the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button will
switch the digital display to display to display the time. When finished setting to the home position, check if the time shown by the hands in Timekeeping Mode and the time on the digital display match. Set to the correct time (hours, minutes, seconds) and date (year, month, day). 1. Hold down the upper left button for approximately 3 seconds until the city code
on the digital display begins to flash. 2.Pressing the lower left button three times will switch to the "seconds" setting. 3.Press the lower right button (forward) and the upper right button (back) to set the correct "hour" 6.Pressing the
lower left button will switch to the "minute" setting. 7.Press the lower right button (forward) and the upper right button (forward) and the upper right button (forward) and upper right button (back) to set the correct "year". 10.Pressing the lower left button (forward) and the upper right button (forward) and the upper right button (forward) and the upper right button (forward) and upper right button (forward) and the upper right button (forward) and upper 
will switch to the "month" setting. 11. Press the lower right button (forward) and the upper right button (back), and set the correct "day". 14. Press the lower right button (forward) and the upper right button (back), and set the correct "day".
the configuration. 1. Hold down the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display. 2. If the speed hand stops at any point other than 12 o'clock, use the lower right button to align it with 12 o'clock. 3. Pressing the lower right button will switch to adjusting the hour and minute hands. 4. If the hour and
minute hands stop at any point other than 12 o'clock, use the lower right button (forward) and the upper right button (back) to align them with 12 o'clock, and then set the hands to 12 o'clock using small increments. 5. Press the upper left button to
complete the configuration. 6.Pressing the lower right button will switch the digital display to display the time on the digital display match. 2.Press the lower right button (forward) or the upper right button (back) until "NYC" is
displayed on the digital display. 1. Pressing the lower left button will switch to the "Summer Time (DST) setting". 2. Press the upper left button to complete the configuration. 1. Hold down the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display. 2. If the speed hand stops at any point other than 12 o'clock, use
the lower right button to align it with 12 o'clock. 3. Pressing the hour and minute hands stop at any point other than 12 o'clock, use the lower right button (forward) and the upper right button (back) to align them with 12 o'clock. When advancing the hands, quickly pause
them momentarily when they are near to 12 o'clock, and then set the hands to 12 o'clock using small increments. 5. Press the upper left button will switch the digital display to display the time. When finished setting to the home position, check if the time shown by the hands in
Timekeeping Mode and the time on the digital display match. Set to the correct time (hours, minutes, seconds) and date (year, month, day). 1. Hold down the upper left button for approximately 3 seconds until the city code on the digital display begins to flash. 2. Pressing the lower left button for approximately 3 seconds until the city code on the digital display begins to flash.
lower right button and set the "seconds". 4.Pressing the lower left button will switch to the "minute" setting. 5.Press the lower right button (forward) and the upper right button (back) to set the correct "hour". 6.Pressing the lower left button will switch to the "minute" setting. 7.Press the lower right button (forward) and the upper right button (back) to
set the correct "minutes". 8. Pressing the lower left button will switch to the "year" setting. 9. Press the lower right button (forward) and upper right button (forward) and the upper right button (back), and set the correct "year" setting. 11. Press the lower left button will switch to the "month" setting. 11. Press the lower left button (forward) and upper right button (back), and set the correct "year" setting. 11. Press the lower left button will switch to the "year" setting. 11. Press the lower left button (forward) and upper right button (back), and set the correct "year" setting. 11. Press the lower left button will switch to the "year" setting. 11. Press the lower left button (forward) and upper right button (back), and set the correct "year" setting. 11. Press the lower left button will switch to the "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button will switch to the "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button will switch to the "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back) to set the correct "year" setting. 11. Press the lower left button (back)
 "month". 12. Pressing the lower left button will switch to the "day" setting. 13. Press the lower right button (forward) and the upper right button for approximately 3 seconds until "H.SET" is displayed on the digital display.
2.If the speed hand stops at any point other than 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower left button will switch to adjusting the hour and minute hands stop at any point other than 12 o'clock, use the lower right button (back) to align
them with 12 o'clock. When advancing the hands, quickly pause them momentarily when they are near to 12 o'clock, and then set the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button will switch the digital display to display the time. When finished setting to the
home position, check if the time shown by the hands in Timekeeping Mode and the time on the digital display match. 2. Pressing the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display.
2.If the speed hand stops at any point other than 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button to align it with 12 o'clock, use the lower right button (back) to align
them with 12 o'clock. When advancing the hands, quickly pause them momentarily when they are near to 12 o'clock, and then set the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button will switch the digital display to display the time. When finished setting to the
home position, check if the time shown by the hands in Timekeeping Mode and the time on the digital display match. Set to the correct time (hours, minutes, seconds) and date (year, month, day). 1. Hold down the upper left button for approximately 3 seconds until the city code on the digital display begins to flash. 2. Pressing the lower left button
three times will switch to the "seconds" setting. 3. Press the lower right button will switch to the "hour" setting. 5. Press the lower left button will switch to the "minute" setting. 7. Press the
lower right button (forward) and the upper right button (back) to set the correct "minutes". 8. Pressing the lower left button will switch to the "month" setting. 11. Press the lower right button (back) to set the correct "year". 10. Pressing the lower left button will switch to the "month" setting. 11. Press the lower right button (back) to set the correct "year". 10. Pressing the lower left button will switch to the "month" setting. 11. Press the lower right button (back) to set the correct "minutes". 11. Press the lower left button (back) to set the correct "minutes". 11. Press the lower left button will switch to the "year" setting. 12. Press the lower left button (back) to set the correct "minutes". 13. Press the lower left button (back) to set the correct "minutes". 14. Press the lower left button (back) to set the correct "minutes". 15. Press the lower left button (back) to set the correct "minutes". 16. Press the lower left button (back) to set the correct "minutes". 17. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes". 18. Press the lower left button (back) to set the correct "minutes" left button (back) to set the correct "minutes" left button (back) to set the correct "minu
button (forward) and the upper right button (back), and set the correct "day". 14.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button to complete the configuration. 1.Hold down the lower right button (back) to set the correct "day" setting. 13.Press the upper left button (back) to set the correct "day" setting. 13.Press the upper left button (back) to set the correct "day" setting. 14.Press the upper left button (back) to set the correct "day" setting. 14.Press the upper left button (back) to set the correct "day" setting. 14.Press the upper left button (back) to set the correct "day" setting. 14.Press the upper left button (back) to set the upper left
approximately 3 seconds until "H.SET" is displayed on the digital display. 2.If the speed hand stops at any point other than 12 o'clock, use the lower right button will switch to adjusting the hour and minute hands. 4.If the hour and minute hands stop at any point other than 12 o'clock, use the
lower right button (forward) and the upper right button (back) to align them with 12 o'clock. When advancing the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button will
switch the digital display to display to display to display the time. When finished setting to the home position, check if the time on the digital display match. 1. Hold down the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display and the time on the digital display match. 1. Hold down the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display and the time on the digital display match. 1. Hold down the lower right button for approximately 3 seconds until "H.SET" is displayed on the digital display to display the time.
than 12 o'clock, use the lower right button to align it with 12 o'clock. 3. Pressing the lower left button will switch to adjusting the hour and minute hands stop at any point other than 12 o'clock, use the lower right button (forward) and the upper right button (back) to align them with 12 o'clock. When advancing the
hands, quickly pause them momentarily when they are near to 12 o'clock, and then set the hands to 12 o'clock using small increments. 5. Press the upper left button to complete the configuration. 6. Pressing the lower right button by
the hands in Timekeeping Mode and the time on the digital display match. Top of page Operation Guide 5081 1 MO0911-EA Getting Acquainted Congratulations upon your selection of this Manual • Depending on the model of your watch, display text
appears either as dark figures on a light background or light figures on a dark background. • Button operations are indicated using the letters shown in the illustration. • Each section of this manual provides you with the information you need to perform operations
in each mode. Further details and technical information can be found inthe "Reference" section. Alarm Mode Countdown Timer Mode World Time Mode Stopwatch Mode A A General Guide • Press C to change from mode to mode. • In any mode (except a setting mode), press B to illuminate the display. Timekeeping Mode Press C. A Timekeeping Mode Press C.
You can adjust the Home Time city date and time in the Timekeeping Mode. • Pressing D in the Timekeeping Mode will toggle lower left display between the screens shown below. D Home City Time A Date Seconds PM indicator Day of the week To set the time and date 1. In the Timekeeping
Mode, hold down A for about three seconds until the city code flashes on the lower rightdisplay. This is the setting mode. 2. Use D and B to select your Home City code you want. • Make sure you select your Home City code before changing any other setting.
PM indicator Seconds 3. Press C to change it as described below. Change the flashing screen content in the sequence shown below to select the other setting. Seconds 12/24-Hour Format Hour Minutes DST Month Year City Code Day Illumination Duration 4. When the timekeeping setting you want to change it as described below. Change the city
code Toggle the DST setting betweenDaylight Saving Time () and Standard Time (). Use D (east) and B(west). Press D. To do this: Do this: Screen: 5. Press A to exit the setting mode. • The day of the week is displayed automatically in accordance with the date (year, month, and day) settings. Toggle between 12-hour () and 24-hour () timekeeping
Reset the seconds to Change the hour and minutes Change the year, month, or day Toggle the display illumination between 1.5 seconds () Press D. Daylight Saving Time (DST) Daylight Saving Time (summer time) advances the time setting by one hour from Standard Time.
Remember that not all countries or even local areas use DaylightSaving Time. To change the DaylightSaving Time (summer time) setting 1. In the Timekeeping Mode, hold down A for about three seconds until the city code flashes on the lower rightdisplay. This is the setting mode. 2. Press C. This will display the DST setting screen. 3. Use D to toggle
the DST setting on and off. DST off () DST on () • The default DST indicator appears to indicator 12-hour timekeeping • With the 12-hour format, the PM indicator
appears above the hour digits for times in the range of noon to 11:59 a.m. • With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without the PM indicator. • The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is applied in all other
modes. Stopwatch You can use the stopwatch to measure elapsed time, laptimes and split times. If you specify a distance value, thestopwatch is 99 hours, 59 minutes, 59.999 seconds. The stopwatch continuesto run until you stop it. If it reaches the above limit, it
willrestart the time measurement from zero. • The stopwatch operation continues even if you exit the Stopwatch Mode. If you exit the Stopwatch Mode while astopwatch seconds are counted. This is to let youknow that a stopwatch
operation is in progress. • All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing C. Speed hand Important! • Check to make sure that the speed hand is not moving before you perform any Stopwatch Mode button operation. Specifying a Distance Value You can use the procedure below to specify a
distance value, if you want. If youspecify a distance value represents kilometers, miles, or any other distance value represents kilometers or 10.0 miles. • No speed calculation is performed
when 0.0 is specified as the current distance value. • For lap time readings, you can specify either the lap distance (when all the laps are the same distance only. Though the watch will indicate a speed each time you take a split reading, they will be based
onthe total race distance, and so they will not indicate actual intermediate split speeds. This manual is related to the following products: The Ultimate Guide to All G-SHOCKs — composed by Experts Before using this guide, we recommend: Download official GA-100 Manual →Watch official 5081 GA-100 Manual Online → All settings are clearly
explained and understandable. In the Timekeeping Mode, hold down A for about three seconds until the city code flashes on the lower right display. This is the setting mode. Use D and B to select the city code you want. Make sure you select your Home City code before changing any other setting. For full information on city codes, see the "City code flashes on the lower right display."
CodeTable". Press C to change the flashing screen content in the sequence shown below to select the other setting When the timekeeping setting want to change it as described below. Press A to exit the setting mode. The day of the week is displayed automatically in accordance with the date (year, month, and
day) settings. Save your watch with GA-100 Protective Screen Keep your watch boxes on amazon → Recent News about Casio G-Shock GA-100 News → Being a fan of CASIO watches since 2009, I strive to share my passion and knowledge with others. Through publishing short notes
and curating all listings on this site, I hope to inspire fellow enthusiasts to explore the world of high-quality CASIO watches. A proud owner of GST-B200, GG-1000, GA-110. Remember: Fake Watches are for Fake People. 1Congratulations upon your selection of this CASIO watch. To get the most out of your purchase, be sure to read this manual
carefully. Depending on the model of your watch, displays inthis manual are shown using dark figures on a light background. Button operations are indicated using the letters shown in the illustration. Each section of this manual
provides you with the information you need to performoperations in each mode. Further details and technical information can be found inthe "Reference" section. Alarm ModeCountdown Timer ModeWorld Time ModeStopwatch Mode A * Press C to change from mode to mode. * In any mode (except a setting mode), press B to illuminate the
display. Timekeeping Mode Press C. \( \Dark You can adjust the Home City Date Hom
date1. In the Timekeeping Mode, hold down A for about threeseconds until the city code you want. • Make sure you select your Home City code beforechanging any other setting. • For full information on city codes, see the "City
CodeTable".llllllllllHourMinutesCity codePM indicatorSeconds3. Press C to change the flashing screen content in the sequence shown below toselect the other setting. HourDSTYearDay4. When the timekeeping setting you want to change it as described below. Change the flashing screen content in the sequence shown below toselect the other setting.
between Daylight Saving Time () and Standard Time (
and minutesChange the year, month, or dayToggle the display illuminationduration between 1.5 seconds ()Press D.Press D.Daylight Saving Time (summer time) advances the time setting by one hour fromStandard Time. Remember that not all countries or even local areas use DaylightSaving Time.To
change the Daylight Saving Time (summer time) setting Mode, hold down A for about threeseconds until the city code flashes on the lower rightdisplay. This is the setting mode. 2. Press C. This will display the DST setting on and off. The default DST setting is OFF ().4. When the setting mode.
you want is selected, press A to exitthe setting mode. The DST indicator appears to indicator appears to indicator appears to indicator appears to indicator appears for times in the range of noon to 11:59 p.m. and no indicator appears for times in the PM indicator appears to indicator appears to indicator appears to indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of noon to 11:59 p.m. and no indicator appears to indicator appears to indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears to indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:59 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in the range of noon to 11:50 p.m. and no indicator appears above the hour digits for times in 
hour format, times are displayed in the range of 0:00 to 23:59, without the PM indicator. The 12-hour/24-hour timekeeping Mode isapplied in all other modes. You can use the stopwatch also will calculate and display
speeds. The digital display range of the stopwatch is 99 hours, 59 minutes, 59.999 seconds. The stopwatch operation continues even if you exit the Stopwatch Mode while astopwatch operation is
in progress, the segments in theupper right dial will appear and disappear sequentially stopwatch seconds are counted. This is to let youknow that a stopwatch operation is in progress. All of the operations in this section are performed in the Stopwatch operation is in progress.
speed hand is not moving before you perform anyStopwatch Mode button operation. You can use the procedure below to specify a distance value, if you want. If youspecify a distance value represents kilometers, miles, or any other distance unit you
want. Specifying a distance value of 10.0, for example, can mean 10.0 kilometers or 10.0 miles. For lap time readings, you can specify either the lap distance (when all the laps arethe same distance) or the total race distance. For split time readings, you can specify either the lap distance (when all the laps arethe same distance) or the total race distance.
specify the total race distance only. Though thewatch will indicate a speed each time you take a split reading, they will be based on the total race distance, and so they will not indicate actual intermediate split speeds. The Ultimate Guide to All G-SHOCKs — composed by Experts Before using this guide, we recommend: Download official GA-100
Manual →Watch official 5081 GA-100 Manual Online → All settings are clearly explained and understandable. In the Timekeeping Mode, hold down A for about three seconds until the city code flashes on the lower right display. This is the setting mode. Use D and B to select the city code you want. Make sure you select your Home City code before
displayed automatically in accordance with the date (year, month, and day) settings. Save your watch with GA-100 Protective Screen Keep your watch boxes on amazon → Recent News about Casio G-Shock GA-100 News → Being a fan of CASIO watches since 2009, I strive to share my
passion and knowledge with others. Through publishing short notes and curating all listings on this site, I hope to inspire fellow enthusiasts to explore the world of high-quality CASIO G-SHOCK GA-100 - 20 Bar Analog-Digital Watch Manual
About This Manual Depending on the model of your watch, display text appears either as dark figures on a light background. Button operations are indicated using the letters shown in the illustration. Each section of this
manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section. General Guide Press to change from mode to mode. In any mode (except a setting mode), press to illuminate the display. Timekeeping You can adjust the Home Time city date and
time in the Timekeeping Mode. Pressing in the Timekeeping Mode will toggle lower left display between the screens shown below. In the Timekeeping Mode will toggle lower left display between the screens shown below. In the Timekeeping Mode, hold down for about three seconds until the city code you want. Make sure you select your Home City
code before changing any other setting. For full information on city codes, see the "City Code Table". Press to change the flashing screen content in the sequence shown below. Screen: To do this: Do this: Change the city
code Use (east) and (west). Toggle the DST setting between Daylight Saving Time () and Standard Time (). Press. Toggle between 12-hour () and 24-hour () and
and three seconds () Press . Press to exit the setting mode. The day of the week is displayed automatically in accordance with the date (year, month, and day) settings. Daylight Saving Time (DST) Daylight Saving Time (but the date (year, month, and day) settings. Daylight Saving Time (but the setting by one hour from Standard Time. Remember that not all countries or even local areas use
Daylight Saving Time. To change the Daylight Saving Time (summer time) setting on and off. The default DST setting is OFF () When
the setting you want is selected, press to exit the setting mode. The DST indicator appears to indicator appears for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of
midnight to 11:59 a.m. With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without the PM indicator. The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is applied in all other modes. Stopwatch You can use the stopwatch to measure elapsed time, lap times and split times. If you specify a distance
value, the stopwatch also will calculate and display speeds. The digital display range of the stopwatch is 99 hours, 59 minutes, 59.999 seconds. The stopwatch continues to run until you stop it. If it reaches the above limit, it will restart the time measurement from zero. The stopwatch operation continues even if you exit the Stopwatch Mode. If you
exit the Stopwatch Mode while a stopwatch operation is in progress, the segments in the upper right dial will appear and disappear sequentially as stopwatch operation is in progress. All of the operation is in progress. All of the operation is in progress. All of the operation is in progress.
Check to make sure that the speed hand is not moving before you perform any Stopwatch Mode button operations. The distance value, if you specify a distance value, the watch will calculate and indicate speed for certain stopwatch operations. The distance value
represents kilometers, miles, or any other distance unit you want. Specifying a distance value of 10.0, for example, can mean 10.0 kilometers or 10.0 miles. No speed calculation is performed when 0.0 is specified as the current distance (when all the laps are the same distance) or the
total race distance. For split time readings, you can specify the total race distance only. Though the watch will indicate a split reading, they will be based on the total race distance value In the Stopwatch Mode, make sure the stopwatch is
stopped and reset to all zeros. If you need to reset the stopwatch to all zeros, press . Hold down for about three seconds until the watch beeps, DIST () and the left digit of the current distance value setting flashes in the lower left display. This is the distance value setting mode. Press to move the flashing between the values on the left side and right
side of the distance value digit decimal point. While either the left or right distance value is flashing, use (+) and (-) to change it. You can specify a distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value is flashing, use (+) and (-) to change it. You can specify a distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the distance value in the range of 0.1 to 99.9. After specifying the 0.1 to 99.9. After s
performed in the Stopwatch Mode, the watch will display a speed value, which is calculated based on the distance you specified and the elapsed time. The upper right dial indicates the 100s digit value. 1000 appears when the speed exceeds 1,000 and MACH), and the speed hand. The upper right dial indicates the 100s digit value. 1000 appears when the speed exceeds 1,000 and MACH), and the speed hand. The upper right dial indicates the 100s digit value. 1000 appears when the speed exceeds 1,000 and MACH), and the speed hand. The upper right dial indicates the 100s digit value. 1000 appears when the speed exceeds 1,000 and MACH), and the speed hand. The upper right dial indicates the 100s digit value. 1000 appears when the speed exceeds 1,000 and MACH), and the speed hand. The upper right dial indicates the 100s digit value.
MACH appears when the speed exceeds 1,226. The speed hand indicates speed values less than 100. Only even-numbered values are indicates 700. The speed hand indicates 40. Speed can be indicated from 0 to 1998. OVER is
indicated by the speed hand when the speed exceeds 1998. Time measurement You need to specify either lap time or split time measurement. To specify lap time or split time readings In the Stopwatch Mode, make sure the stopwatch is
stopped and reset to all zeros. Make sure that (lap times) or (split times) is shown in the lower right display. Elapsed Time Measurement Use the following procedure to measure elapsed time, without taking lap time
or split time readings. To perform elapsed time measurement and then perform the following button operations. Start -> Stop -> Reset If you have a distance value specified for the current elapsed time measurement, the upper right dial and speed when you press to stop the elapsed
time operation. After pressing to stop an elapsed time operation, you could press again to restart from the point where you left off. Lap Time A lap time reading was taken. If you want the watch to calculate the speed of each lap (when all of the laps are the same distance), specify the lap distance
for the distance setting. If you want the watch to calculate the speed of the entire race, specify the race distance setting, but these lap reading, but these lap reading, but these lap reading, but these lap reading, but these lap reading in the Stopwatch Mode, make sure
the stopwatch is stopped and reset to all zeros. If you need to reset the stopwatch to all zeros, press A to toggle it to To perform a lap time measurement Select lap time () measurement and then perform the following button operations. Start \rightarrow Lap* \rightarrow
Lap* → Stop → Reset * The lap time is released automatically in about 12 seconds. You can press to take lap reading s displayed. If you take more times as you like. The LAP indicator flashes while a lap time reading is displayed. If you take more take more take more take more take lap reading so many times as you like. The LAP indicator flashes while a lap reading is displayed. If you take more take mo
than 99 lap readings, the lap number will restart from #00 following lap #99. Pressing to stop elapsed time measurement displays the time elapsed since the beginning of the current time measurement. If you want the watch to calculate the speed of
the race, specify the race distance for the distance setting. For split time readings, you can specify the total race distance only. Though the watch will not indicate a speed each time you take a split reading, they will be based on the total race distance, and so they will not indicate actual intermediate split speeds. To set up the stopwatch to take split time
readings In the Stopwatch Mode, make sure the stopwatch is stopped and reset to all zeros, press to toggle it to . To perform a split time measurement Select split time () measurement and then perform the
following button operations. Start \rightarrow Split Release* \rightarrow Stop \rightarrow Reset * The split time is released automatically if you do not press within about 12 seconds. You can press to take split readings as many times as you like. The SPLIT indicator flashes while a lap reading is displayed. The stopwatch continues elapsed time measurement internally
while a split time reading is displayed. Pressing to release the split will switch the lower left display to the elapsed time measurement displays the time (and speed if a distance is specified) of the final split (which is the overall elapsed time)
To measure times with the stopwatch Elapsed Time Lap Time Split Time Countdown Timer You can set the countdown timer start time within a range of one minute to 24 hours. An alarm sounds when the countdown from the original value you set whenever
zero is reached. All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing any
button. The countdown time is reset to its starting value automatically after the alarm stops if auto-repeat is turned on, the countdown timer measurement operation continues even if you exit the Countdown Timer Mode. Press while a
countdown operation is in progress to pause it. Press again to resume the countdown time to its starting value. To configure countdown time to its starting value. To configure countdown time to its starting value. To configure countdown time to its starting value.
Countdown Timer Mode, hold down for about three seconds until the hour setting of the countdown start time is not displayed, use the procedure under "To use the countdown timer" to display it. Press to move the flashing in the sequence shown below, and select the setting you
want to change. Perform the following operations, depending on which setting currently is selected on the display. While the auto-repeat on () and off (). Press to exit the setting mode. The auto-repeat on () is
displayed on the Countdown Timer Mode screen while this function is turned on. World Time World Tim
being kept in the Timekeeping Mode. If you feel that there is an error in any World Time Mode time, check to make sure you have the correct. Times in the World Time Mode are based on UTC offsets. See the "City Code Table
for information about the UTC offsets that are supported. All of the operations in this section are performed in the World Time Mode, which you enter by pressing . To view the current time in another time zone In the World Time Mode, which you enter by pressing . To view the current time in another time zones). Holding down the button scrolls at high speed. The lower left
display shows the current time in the World Time City. Between the noon and midnight in the World Time Mode, a PM indicator (PM) appears above the hour digits in the lower left display. When the city code (time zone) you want is selected, you can press to display the date. After about one second, the watch will resume regular timekeeping for the
currently selected city. To toggle a city code (time zone) whose Standard Time Mode, press to display the city code (time zone) whose Standard Time Mode, press to displayed) and
Standard Time (DST indicator not displayed). The DST indicator is shown in the lower left display while Daylight Saving Time is turned on. You can turn on DST for the city code, except UTC. Turning on DST for the city code that is currently selected as your Home City will turn on DST for normal timekeeping. Swapping your Home City
and World Timy City You can use the procedure below to swap your Home City, and World Time City, and your World Time City to your World Time City and World Time City to your Home City and World Time City and World Time City to your Home City and World Time City and 
City In the World Time Mode, use to select the World Time City you want. Hold down and until the watch beeps. This will make the World Time City you selected in step 1 your Home City you had selected prior to step 2 your
World Time City, and cause the content of lower left display to change accordingly. After swapping the Home City prior to step 2 now displayed as the World Time City. Alarms When an alarm is turned on, the alarm tone will sound when its
 alarm time is reached. One of the alarms is a snooze alarm, while the other four are daily alarms. You also can turn on an Hourly Time Signal that causes the watch to beep twice every hour on the hour. There are five alarm screen indicated by . The Hourly Time Signal screen is
indicated by . All of the operations in this section are performed in the Alarm Mode, which you enter by pressing . To set an alarm time In the Alarm Mode, use to scroll through the alarm screen , , or . To set the snooze alarm, display the screen. is the
hourly time signal setting. The snooze alarm repeats every five minutes. After you select an alarm, hold down for about three seconds until the hour setting of the alarm time starts to flash. This is the settings. While a setting is
flashing, use (+) and (-) to change it. Press to exit the setting mode. Alarm Operation The alarm tone sounds at the preset time for 10 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total of seven times, every five minutes, or until you turn the alarm off. Alarm and Hourly Time
Signal operations are performed in accordance with the current time in your Home City, as kept in the Timekeeping Mode. To stop the alarm tone after it starts to sound, press any button. Performing any one of the following operations during a 5-minute interval between snooze alarms cancels the current snooze alarm operation. Displaying the
Timekeeping Mode setting screen Displaying the setting screen To turn an alarm on indicator on its Alarm Mode, use to select an alarm. Press to toggle it on and off. Turning on a alarm (,,, or ) displays the alarm on indicator is shown for any alarm that currently is turned on. The alarm on
indicator flashes while the alarm is sounding. The snooze alarm indicator flashes while the snooze alarm indicator is shown on the Hourly Time Signal on and off. The Hourly Time Signal on indicator is shown on the Hourly Time Signal on indicator is shown on the Hourly Time Signal on indicator is shown on the Hourly Time Signal on and off.
display in all modes while this function is turned on. Illumination An LED (light-emitting diode) illuminates the face of the watch for easy reading in the dark. The watch switch must be turned on (indicated by the auto light switch turns on illumination automatically when you angle the watch towards your face. The auto light switch must be turned on (indicated by the auto light switch turns on illumination and light switch turns on illumination are the face of the watch for easy reading in the dark.
indicator) for it to operate. See "Illumination Precautions" for other important information about using illumination regardless of the current auto light switch setting. You can use the procedure below to select either 1.5 seconds or
3 seconds as the illumination duration. When you press, the illumination will remain on for about 1.5 seconds or 3 seconds, depending on the current illumination duration setting. To specify the illumination duration setting screen. Press nine times to display the
current illumination duration LT1 () or LT3 (). Press to toggle the setting between (1.5 seconds) and (three seconds). Press to exit the setting between (1.5 seconds) and (three seconds).
parallel to the ground and then tilting it towards you more than 40 degrees causes illumination to turn on. Wear the watch on the outside of your wrist. Always make sure you are in a safe place whenever you are reading the display of the watch using the auto light switch. Be especially careful when running or engaged in any other activity that can
result in accident or injury. Also take care that sudden illumination by the auto light switch does not startle or distract others around you. When you are wearing the watch, make sure that its auto light switch is turned off before riding a bicycle or operating a motorcycle or any other motor vehicle. Sudden and unintended operation of the auto light
switch can create a distraction, which can result in a traffic accident and serious personal injury. To turn the auto light switch on (auto light switch indicator displayed) and off (auto light switch indicator not displayed). The auto light switch on (auto light switch indicator displayed) and off (auto light switch indicator not displayed). The auto light switch on (auto light switch indicator displayed) and off (auto light switch indicator not displayed).
indicator remains in all modes while the auto light switch is turned on. In order to protect against running down the battery, the auto light switch back on if you want. Hand Home Position Correction The speed hand and
hour and minute hands of the watch can be thrown off by exposure to strong magnetism or impact. The watch is designed to correct speed, hour and minute hand manually. To adjust home positions In the Timekeeping Mode, hold down for about three seconds until H-SET () appears in the lower right display and Sub () appears in the lower left
display. This is the home position adjustment mode. Check the position of the speed hand is in the correct home position if it is pointed at 50 (12 o'clock). If it isn't, use to move the hand clockwise until it is. After confirming that the speed hand is in its correct home position, press. Check the positions of the hour and minute hands
The hands are in the correct home positions if they are pointed at 12 o'clock. If they aren't, use (clockwise) and (counterclockwise) to adjust their positions. When everything is the way you want, press to return to regular timekeeping. This will cause the hour and minute hands to move to the current Timekeeping Mode time and the speed hand to
move to the 0 position. Pressing here will return to the setting at the beginning of step 2. Reference This section contains more detailed and technical information about watch operation. It also contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch. Auto Return Features If you leave the watch with a flashing
setting on the display for two or three minutes without performing any operation, the watch will exit the setting mode automatically if you do not perform any operation for two or three minutes in the Alarm Mode. High-Speed Movement The and buttons are used to change setting in
various setting modes. In most cases, holding down these buttons will start high-speed movement. Initial Screens When you enter the Stopwatch Mode, the data you were viewing when you last exited the mode will appear first. Timekeeping Resetting the seconds to while the current count is in the range of 30 to 59
causes the minutes to be increased by 1. In the range of 2000 to 209, the seconds are reset to without changing the minutes. The year can be set in the range of 2000 to 2099. The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except when
battery has replaced. The current time for all city codes in the Timekeeping Mode and World Time Mode is calculated in accordance with the Coordinated Universal Time (UTC) for each city, based on your Home City time setting. Illumination turns off
automatically whenever an alarm sounds. Illumination turns off automatically depends on the current illumination function setting. Frequent use of illumination runs down the battery. Auto light switch to operate when it is not needed, which
shortens battery life. If you want to wear the watch on the inside of your wrist, turn off the auto light switch feature. Illumination may not turn on if the face of the watch is more than 1.5 seconds or 3 seconds, even if you
keep the watch pointed towards your face. Static electricity or magnetic force can interfere with proper operation of the auto light switch. If illumination does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back toward you again. If this does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back towards your again.
at your side, and then bring it back up again. Under certain conditions, illumination may not turn on until about one second after you turn the face of the watch towards you. This does not necessarily indicate malfunction of the auto light switch. You may notice a very faint clicking sound coming from the watch when it is shaken back and forth. This
sound is caused by mechanical operation of the auto light switch, and does not indicate a problem with the watch. Specifications Accuracy at normal temperature: ± 15 seconds a month Digital Timekeeping: Hour, minutes, seconds, p.m. (P), month, day, day of the week Time format: 12-hour and 24-hour Calendar system: Full Auto-calendar pre
programmed from the year 2000 to 2099 Other: Home City code (can be assigned one of 48 city codes); Standard Time (baylight Saving Time (summer time) Analog Timekeeping: Hour, minutes (hand moves every 20 seconds) Stopwatch: Measuring unit: 1/1000 second Measuring unit: 1/1000 second Measuring capacity: 99:59'59.999" Measuring modes: Elapsed time, Lap time
 Split time Other: Speed Countdown Timer: Measuring unit: 1 second Input range: 1 minute to 24 hours (1-minute increments) Other: Auto-repeat timing World Time City Swapping Alarms: Four daily alarms, one snooze alarm, Hourly Time Signal
Illumination: LED (light-emitting diode), Auto Light Switch; Selectable illumination duration Battery: One lithium battery (Type: CR1220) Approximate Battery Life: 2 years on type CR1220 (ten seconds of alarm operation per day, one illumination operation per day) City Code Table Based on data as of June 2009. The rules governing
global times (UTC offset and GMT differential) and summer time are determined by each individual country. Documents / ResourcesHere you can download full pdf version of manual, it may contain additional safety instructions, warranty information, FCC rules, etc. Download CASIO G-SHOCK GA-100 - 20 Bar Analog-Digital Watch Manual The
Ultimate Guide to All G-SHOCKs — composed by Experts Before using this guide, we recommend: Download official GA-100 Manual \rightarrowWatch official 5081 GA-100 Manu
This is the setting mode. Use D and B to select the city code you want. Make sure you select your Home City code before changing any other setting. For full information on city codes, see the "City Code Table". Press C to change the flashing screen content in the sequence shown below to select the other setting. When the timekeeping setting you want.
to change is flashing, use D or B to change it as described below. Press A to exit the setting mode. The day of the week is displayed automatically in accordance with the date (year, month, and day) settings. Save your watch with GA-100 Protective Screen Keep your watch collection safe and guard! Best Watch boxes on amazon → Recent News about
Casio G-Shock GA-100 Series All G-Shock GA-100 News → Being a fan of CASIO watches since 2009, I strive to share my passion and knowledge with others. Through publishing short notes and curating all listings on this site, I hope to inspire fellow enthusiasts to explore the world of high-quality CASIO watches. A proud owner of GST-B200, GG-
1000, GA-110. Remember: Fake Watches are for Fake People.
```